

**IEZ 1: Štýlizácia prechodu podrastu a lemového spoločenstva
s prvkami monokultúrnych driftov**

značka		kvitnutie	výška/cm	počet (ks)
	<i>Aconitum napellus</i>	VII-IX	140	19
	<i>Anemone japonica</i> 'Honorine Jobert'	VIII-X	90-110	14
	<i>Anemone tomentosa</i> 'Serenade'	VIII-X	90	11
	<i>Cimicifuga simplex</i> 'Brunette'	IX-X	150	9
	<i>Helianthus salicifolius</i>	X-XI	200	11
	<i>Helleborus orientalis</i>	III-IV	45	30
	<i>Hosta sp.</i>	V-VI	40	8
	<i>Ligularia przewalskii</i>	VII-VIII	100	45
	<i>Miscanthus sinensis</i> 'Kleine Silberspinne'	IX-X	120	5
	<i>Miscanthus sinensis</i> 'Silberspinne'	IX-X	160	7
	<i>Molinia arundinacea</i> 'Bergfreund'	VIII-IX	60	24
	<i>Polygonum polymorphum</i> 'Johanniswolke'	VI-X	150	11
A	<i>Alchemilla mollis</i>	VI-VII	50	18
B	<i>Brunnera macrophylla</i>	IV-V	40	12
C	<i>Carex foliosissima</i> 'Ever Green'	V-VII	35	13
D	<i>Deschampsia caespitosa</i>	VI-VIII	40	9
E	<i>Epimedium versicolor</i> 'Sulphureum'	IV-V	25	11
G	<i>Geranium cantabrigiense</i>	V-VII	25	56
I	<i>Iris sibirica</i>	V-VI	50	62
L	<i>Luzula sylvatica</i>	IV-V	30-40	23
S	<i>Stachys officinalis/Betonica officinalis</i>	VI-VIII	40-60	11
V	<i>Veronicastrum virginicum</i> 'Fascination'	VII-IX	150	66
W	<i>Waldsteinia geoides</i>	IV-V	20-30	11
				486
	<i>Narcissus</i> 'Salome'	IV	30-40	790
	<i>Fritillaria persica</i> 'Adiyaman'	IV-V	75-100	100
				890

plocha Osadenie zmesí trvaliek

A	$E5 + G6 + A5 + C6$
B	$G5 + L5 + B5$
C	$D9 + A8 + G32$
D	$W11 + S11 + L11$
E	$E6 + G6 + A5 + C7$
F	$G7 + L7 + B7$
G	I33
H	V44
I	I29
J	V22